

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** HYDROQUANT®AG OVEN

· **Article number:** 0927

· **Registration number**

A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.

· **UFI:** 54M0-60M1-500E-KW8C

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Laboratory chemical for analysis.

Chemical for research, development, manufacturing, laboratory chemical for analysis.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Biosolve Chimie

20 Rue Roger Husson, 57260 Dieuze, France

Tel: +33 3 878 675 80/81/82/83/84/85

Email: info@biosolvechimie.com

Biosolve B.V.

Kerkhofstraat 21, 5554HG Valkenswaard, the Netherlands.

Tel: +31-(0)40-2071300

Fax: +31-(0)40-2048537

Email: info@biosolve-chemicals.com

· **Further information obtainable from:** Product safety department.

· **1.4 Emergency telephone number:**

Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008.

See at <https://poisoncentres.echa.europa.eu/appointed-bodies>

Help desk: <http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks>.

For more information see section 16.

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

(Contd. on page 2)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 1)



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.
 Repr. 1B H360D May damage the unborn child.
 STOT SE 1 H370 Causes damage to organs.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02



GHS05



GHS06



GHS08

· **Signal word** Danger

· **Hazard statements**

H225 Highly flammable liquid and vapour.
 H331 Toxic if inhaled.
 H314 Causes severe skin burns and eye damage.
 H351 Suspected of causing cancer.
 H360D May damage the unborn child.
 H370 Causes damage to organs.

· **Precautionary statements**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Restricted to professional users.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 2)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44-XXXX	Methanol ⚠ Flam. Liq. 2, H225; ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: $C \geq 10\%$ STOT SE 2; H371: $3\% \leq C < 10\%$	50-75%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol ⚠ Acute Tox. 4, H302	10-25%
CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-1	2,2'-iminodiethanol ⚠ Carc. 2, H351; STOT RE 2, H373; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	2.5-10%
CAS: 68007-08-9	1H-Imidazole, monohydriodide ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-10%
CAS: 288-32-4 EINECS: 206-019-2 Index number: 613-319-00-0 Reg.nr.: 01-2119485825-24-XXXX	imidazole ⚠ Repr. 1B, H360D; ⚠ Skin Corr. 1C, H314; ⚠ Acute Tox. 4, H302	2.5-10%
CAS: 7446-09-5 EINECS: 231-195-2 Index number: 016-011-00-9	sulphur dioxide ⚠ Acute Tox. 3, H331; ⚠ STOT SE 1, H370; ⚠ Skin Corr. 1B, H314; Press. Gas (Comp.), H280 ATE: LC50/4 h inhalative: 1,000 mg/l	2.5-10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 3)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
 During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralising agent.
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
- **6.4 Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
 Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 4)

Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 67-56-1 Methanol

IOELV	Long-term value: 260 mg/m ³ , 200 ppm
	Skin

CAS: 7446-09-5 sulphur dioxide

IOELV	Short-term value: 2.7 mg/m ³ , 1 ppm
	Long-term value: 1.3 mg/m ³ , 0.5 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 5)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Colour:**

Light yellow

· **Odour:**

Characteristic

· **Odour threshold:**

No data available.

· **Melting point/freezing point:**

No data available.

· **Boiling point or initial boiling point and boiling range**

63 °C

· **Flammability**

Highly flammable.

· **Lower and upper explosion limit**

· **Lower:**

2.1 Vol %

· **Upper:**

44 Vol %

· **Flash point:**

< 23 °C

· **Auto-ignition temperature:**

370 °C

· **Decomposition temperature:**

No data available

· **pH at 20 °C**

6

· **Viscosity:**

· **Dynamic:**

Not determined.

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

No data available

· **Vapour pressure at 20 °C:**

128 hPa

· **Density and/or relative density**

· **Density at 20 °C:**

0.98 g/cm³

· **Relative density**

No data available

· **Vapour density**

No data available

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 6)

- **9.2 Other information**
- **Appearance:**
- **Form:** Solution
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Solvent content:**
- **Organic solvents:** 82.6 %
- **Solids content:** 11.9 %
- **Change in condition**
- **Evaporation rate** No data available
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Highly flammable liquid and vapour.
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

EU

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 7)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Toxic if inhaled.

· **LD/LC50 values relevant for classification:**

CAS: 67-56-1 Methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)

CAS: 7446-09-5 sulphur dioxide

Inhalative	LC50/4 h	700 mg/l (ATE)
------------	----------	----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** May damage the unborn child.
- **STOT-single exposure** Causes damage to organs.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 8)

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic
HP8	Corrosive
HP10	Toxic for reproduction

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** UN1230

· **14.2 UN proper shipping name**

· **ADR** UN1230 METHANOL solution
· **IMDG, IATA** METHANOL solution

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 3 (FT1) Flammable liquids.
· **Label** 3+6.1

· **IMDG**



· **Class** 3 Flammable liquids.

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 9)

· Label	3/6.1
· IATA	
 	
· Class	3 Flammable liquids.
· Label	3 (6.1)
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
· Hazard identification number (Kemler code):	336
· EMS Number:	F-E,S-D
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
H2 ACUTE TOXIC
P5c FLAMMABLE LIQUIDS

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 10)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 30, 69

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H360D May damage the unborn child.
- H370 Causes damage to organs.
- H371 May cause damage to organs.
- H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Product safety department

· **Contact:**

Austria Vergiftungsinformationszentrale (VIZ) (+43) 1 406 43 43

Belgium Centre Antipoisons (+32) 070 245 245

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 11)

Antigifcentrum 070 245 245 (+32)

*Bulgaria Национален токсикологичен информационен център
 Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов" (+359) 2 9154 233*

Croatia Centar za kontrolu otrovanja (+385) 01 2348 342

*Cyprus Υπουργείο Εργασίας, Πρόνοιας και Κοινωνικών Ασφαλίσεων
 Τμήμα Επιθεώρησης Εργασίας 1401*

Czech Republic Toxikologické informační středisko (+420) 224 919 293, +(420) 224 915 402

Denmark Giftlinjen: +45 8212 1212

Estonia Terviseameti mürgistusteabekeskuse 16662, (+372) 7943 794

Finland Myrkytystietokeskus 0800 147 111, 09 471 977

France ORFILA (INRS) : + 33 (0)1 45 42 59 59

Centres Antipoison et de Toxicovigilance

ANGERS: 02 41 48 21 21

BORDEAUX: 05 56 96 40 80

LILLE: 0800 59 59 59

LYON: 04 72 11 69 11

MARSEILLE: 04 91 75 25 25

NANCY: 03 83 22 50 50

PARIS: 01 40 05 48 48

STRASBOURG: 03 88 37 37 37

TOULOUSE: 05 61 77 74 47

Germany Giftnotruf der Charité, Berlin: 030/19240

Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240

Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240

Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730

Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240

Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240

Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240

Great Britain Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 12)

Greece Κέντρο Δηλητηριάσεων (+30) 2107793777

Hungary Országos Kémiai Biztonsági Intézet (OKBI) +(36)-80-201-199

Iceland LANDSPITALI - THE NATIONAL UNIVERSITY HOSPITAL Tel. (+354) 543 1000

Ireland National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

Italy Istituto Superiore di Sanità (ISS) +390649906140

CAV "Ospedale Pediatrico Bambino Gesù" – Roma Tel. (+39) 06.6859.3726

CAV "Azienda Ospedaliera Università di Foggia" – Foggia Tel. 800.183.459

CAV "Azienda Ospedaliera A. Cardarelli" – Napoli Tel. (+39) 081.545.3333

CAV Policlinico "Umberto I" – Roma Tel. (+39) 06.4997.8000

CAV Policlinico "A. Gemelli" – Roma Tel. (+39) 06.305.4343

CAV Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica – Firenze Tel. (+39) 055.794.7819

CAV Centro Nazionale di Informazione Tossicologica – Pavia Tel. (+39) 0382.24.444

CAV Ospedale Niguarda – Milano Tel. (+39) 02.66.1010.29

CAV Azienda Ospedaliera Papa Giovanni XXIII – Bergamo Tel. 800.88.33.00

CAV Centro antiveneni Veneto – Verona Tel. 800.011.858

Latvia Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 67032600

Lithuania Apsinuodijimų informacijos biuras +370 (5) 2362052

Luxembourg Antigifcentrum / Centre antipoisons (+352) 8002 5500

The Netherlands Nationaal Vergiftigingen Informatie +31 (0)88 755 8000

Norway Giftinformasjonen 22 59 13 00

Poland Biuro do spraw Substancji Chemicznych +48 42 2538 400

Portugal Centro de informação antivenenos 800 250 250

Romania Institutul Național de Sănătate Publică +40213183606

Slovakia Národné toxikologické informačné centrum (NTIC) (+421) 2 5477 4166

Slovenia Urad Republike Slovenije za kemikalije +38614006051

Spain Instituto Nacional de Toxicología y Ciencias Forenses (INTCF) (+34) 91 562 04 20

Sweden Giftinformationscentralen (+46) 10 456 6700

Switzerland Tox Info Suisse 24-h-Notfallnummer: 145 (aus dem Ausland: +41 44 251 51 51) Auskunft: +41 44 251 66 66

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 7 (replaces version 6)

Revision: 04.11.2025

Trade name: HYDROQUANT®AG OVEN

(Contd. of page 13)

- **Date of previous version:** 19.10.2022
- **Version number of previous version:** 6
- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

- *** Data compared to the previous version altered.**