

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Creation date** 26.07.2010
- **Trade name:** Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized
- **Article number:** 1697
- **Registration number**
A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.
- **UFI:** UVS0-30UM-P00K-WS9P
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Chemical for research, development, manufacturing, laboratory chemical for analysis.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Biosolve Chimie
20 Rue Roger Husson, 57260 Dieuze, France
Tel: +33 3 878 675 80/81/82/83/84/85
Email: info@biosolvechimie.com

Biosolve B.V.
Kerkhofstraat 21, 5554HG Valkenswaard, the Netherlands.
Tel: +31-(0)40-2071300
Fax: +31-(0)40-2048537
Email: info@biosolve-chemicals.com
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**
Contact list of appointed bodies for information relating to emergency health response, according to Art. 45(1) Reg. (EC) No 1272/2008.
See at <https://poisoncentres.echa.europa.eu/appointed-bodies>
Help desk: <http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks>.
For more information see section 16.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 health hazard

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 1)

Muta. 2 H341 Suspected of causing genetic defects.
 Carc. 1B H350 May cause cancer.
 Repr. 2 H361d Suspected of damaging the unborn child.
 STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05



GHS06



GHS08

· Signal word Danger

· Hazard statements

H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H331 Toxic if inhaled.
 H314 Causes severe skin burns and eye damage.
 H341 Suspected of causing genetic defects.
 H350 May cause cancer.
 H361d Suspected of damaging the unborn child.
 H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 2)

- **Additional information:**
For use in industrial installations only.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 108-95-2 EINECS: 203-632-7 Index number: 604-001-00-2 Reg.nr.: 01-2119471329-32-XXXX	phenol ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ Muta. 2, H341; STOT RE 2, H373; ⚠ Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: $C \geq 3\%$ Skin Irrit. 2; H315: $1\% \leq C < 3\%$ Eye Irrit. 2; H319: $1\% \leq C < 3\%$	25-50%
CAS: 67-66-3 EINECS: 200-663-8 Index number: 602-006-00-4 Reg.nr.: 01-2119486657-20-XXXX	chloroform ⚠ Acute Tox. 3, H331; ⚠ Carc. 2, H351; Repr. 2, H361d; STOT RE 1, H372; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319, EUH301	25-50%
	3-methylbutan-1-ol; Iso Amyl alcohol ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; STOT SE 3, H335, EUH006	$\leq 2.5\%$
CAS: 91-22-5 EINECS: 202-051-6 Index number: 613-281-00-5	quinoline ⚠ Muta. 2, H341; Carc. 1B, H350; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319	$\leq 2.5\%$

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 3)

- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Call for a doctor immediately.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 4)

- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 108-95-2 phenol

IOELV	Short-term value: 16 mg/m ³ , 4 ppm
	Long-term value: 8 mg/m ³ , 2 ppm
	Skin

CAS: 67-66-3 chloroform

IOELV	Long-term value: 10 mg/m ³ , 2 ppm
	Skin

3-methylbutan-1-ol; Iso Amyl alcohol

IOELV	Short-term value: 37 mg/m ³ , 10 ppm
	Long-term value: 18 mg/m ³ , 5 ppm

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.
 Avoid contact with the eyes.
 Avoid contact with the eyes and skin.

· **Respiratory protection:**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 5)

· **Hand protection**

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Full contact

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Splash contact

Minimum layer thickness: 0.7 mm

Break through time: 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).



Tightly sealed goggles

· **Body protection:**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

EU

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 6)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	Light orange colour
Odour:	Characteristic
Odour threshold:	No data available.
Melting point/freezing point:	No data available.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.3 Vol %
Upper:	9.5 Vol %
Flash point:	> 60 °C
Auto-ignition temperature:	595 °C
Decomposition temperature:	No data available
pH	No data available
Viscosity:	
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure at 20 °C:	210 hPa
Density and/or relative density	
Density at 20 °C:	1.26 g/cm ³
Relative density	No data available
Vapour density	No data available

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	52.0 %
Solids content:	49.9 %
Change in condition	
Evaporation rate	No data available

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 7)

· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Harmful if swallowed.
Fatal in contact with skin.
Toxic if inhaled.

· LD/LC50 values relevant for classification:

CAS: 108-95-2 phenol

Oral	LD50	317 mg/kg (rat)
Dermal	LD50	850 mg/kg (rabbit)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

CAS: 67-66-3 chloroform

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (ATE)

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 8)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025



Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 9)

HP8	Corrosive
HP10	Toxic for reproduction
HP11	Mutagenic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN2810
· 14.2 UN proper shipping name	
· ADR	UN2810 TOXIC LIQUID, ORGANIC, N.O.S. (PHENOL, CHLOROFORM)
· IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (PHENOL, CHLOROFORM)
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	6.1 (T1) Toxic substances.
· Label	6.1
· IMDG, IATA	
	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Toxic substances.
· Hazard identification number (Kemler code):	60
· EMS Number:	F-A,S-A
· Segregation groups	(SGG10) Liquid halogenated hydrocarbons
· Stowage Category	B

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 10)

· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	100 ml
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	100 ml
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml

*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category H2 ACUTE TOXIC**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 28, 32, 72

- **Regulation (EU) No 649/2012**

CAS: 67-66-3 chloroform

Annex I Part I

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 11)

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials, Annex II:**
Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH006 Explosive with or without contact with air.

EUH301 For use in industrial installations only.

· **Department issuing SDS:** Product safety department

· **Contact:**

Austria Vergiftungsinformationszentrale (VIZ) (+43) 1 406 43 43

Belgium Centre Antipoisons (+32) 070 245 245

Antigifcentrum 070 245 245 (+32)

Bulgaria Национален токсикологичен информационен център

Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов" (+359) 2 9154 233

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 12)

Croatia Centar za kontrolu otrovanja (+385) 01 2348 342

Cyprus Υπουργείο Εργασίας, Πρόνοιας και Κοινωνικών Ασφαλίσεων
Τμήμα Επιθεώρησης Εργασίας 1401

Czech Republic Toxikologické informační středisko (+420) 224 919 293, +(420) 224 915 402

Denmark Giftlinjen: +45 8212 1212

Estonia Terviseameti mürgistusteabekeskuse 16662, (+372) 7943 794

Finland Myrkytystietokeskus 0800 147 111, 09 471 977

France ORFILA (INRS) : + 33 (0)1 45 42 59 59

Centres Antipoison et de Toxicovigilance

ANGERS: 02 41 48 21 21

BORDEAUX: 05 56 96 40 80

LILLE: 0800 59 59 59

LYON: 04 72 11 69 11

MARSEILLE: 04 91 75 25 25

NANCY: 03 83 22 50 50

PARIS: 01 40 05 48 48

STRASBOURG: 03 88 37 37 37

TOULOUSE: 05 61 77 74 47

Germany Giftnotruf der Charité, Berlin: 030/19240

Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240

Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240

Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730

Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240

Vergiftungs- Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240

Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240

Great Britain Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

Greece Κέντρο Δηλητηριάσεων (+30) 2107793777

Hungary Országos Kémiai Biztonsági Intézet (OKBI) +(36)-80-201-199

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 13)

Iceland LANDSPÍTALI - THE NATIONAL UNIVERSITY HOSPITAL Tel. (+354) 543 1000

*Ireland National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)*

Italy Istituto Superiore di Sanità (ISS) +390649906140

CAV "Ospedale Pediatrico Bambino Gesù" – Roma Tel. (+39) 06.6859.3726

CAV "Azienda Ospedaliera Università di Foggia" – Foggia Tel. 800.183.459

CAV "Azienda Ospedaliera A. Cardarelli" – Napoli Tel. (+39) 081.545.3333

CAV Policlinico "Umberto I" – Roma Tel. (+39) 06.4997.8000

CAV Policlinico "A. Gemelli" – Roma Tel. (+39) 06.305.4343

CAV Azienda Ospedaliera "Careggi" U.O. Tossicologia Medica – Firenze Tel. (+39) 055.794.7819

CAV Centro Nazionale di Informazione Tossicologica – Pavia Tel. (+39) 0382.24.444

CAV Ospedale Niguarda – Milano Tel. (+39) 02.66.1010.29

CAV Azienda Ospedaliera Papa Giovanni XXIII – Bergamo Tel. 800.88.33.00

CAV Centro antiveneni Veneto – Verona Tel. 800.011.858

Latvia Latvijas Vides, ģeoloģijas un meteoroloģijas centrs (+371) 67032600

Lithuania Apsinuodijimų informacijos biuras +370 (5) 2362052

Luxembourg Antigifcentrum / Centre antipoisons (+352) 8002 5500

The Netherlands Nationaal Vergiftigingen Informatie +31 (0)88 755 8000

Norway Giftinformasjonen 22 59 13 00

Poland Biuro do spraw Substancji Chemicznych +48 42 2538 400

Portugal Centro de informação antivenenos 800 250 250

Romania Institutul Național de Sănătate Publică +40213183606

Slovakia Národné toxikologické informačné centrum (NTIC) (+421) 2 5477 4166

Slovenia Urad Republike Slovenije za kemikalije +38614006051

Spain Instituto Nacional de Toxicología y Ciencias Forenses (INTCF) (+34) 91 562 04 20

Sweden Giftinformationscentralen (+46) 10 456 6700

Switzerland Tox Info Suisse 24-h-Notfallnummer: 145 (aus dem Ausland: +41 44 251 51 51) Auskunft: +41 44 251 66 66

• **Date of previous version:** 04.11.2025

• **Version number of previous version:** 7

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 15)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 14)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Flam. Liq. 3: Flammable liquids – Category 3
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Muta. 2: Germ cell mutagenicity – Category 2
 Carc. 1B: Carcinogenicity – Category 1B
 Carc. 2: Carcinogenicity – Category 2
 Repr. 2: Reproductive toxicity – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

• *** Data compared to the previous version altered.**

EU

(Contd. on page 16)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 15)

Annex: Exposure scenario

· **Description of the activities / processes covered in the Exposure Scenario**

See section 1 of the annex to the Safety Data Sheet.

· **Conditions of use**

· **Duration and frequency** 5 workdays/week.

· **Physical parameters**

· **Physical state** Fluid

· **Concentration of the substance in the mixture** The substance is main component.

· **Other operational conditions**

· **Other operational conditions affecting environmental exposure** No special measures required.

· **Other operational conditions affecting worker exposure**

Avoid contact with eyes.

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

· **Other operational conditions affecting consumer exposure** Keep out of the reach of children.

· **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.

· **Risk management measures**

· **Worker protection**

· **Organisational protective measures** No special measures required.

· **Technical protective measures**

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· **Personal protective measures**

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

(Contd. on page 17)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.11.2025

Version number 8 (replaces version 7)

Revision: 18.11.2025

Trade name: Biophenol/Chloroform/Isoamyl alcohol, 25 :24:1, stabilized

(Contd. of page 16)

Pregnant women should strictly avoid inhalation or skin contact.

· **Measures for consumer protection**

Ensure adequate labelling.

Keep locked up and out of the reach of children.

· **Environmental protection measures**

· **Water**

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· **Disposal measures** *Ensure that waste is collected and contained.*

· **Disposal procedures**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste type** *Partially emptied and uncleaned packaging*

· **Exposure estimation**

· **Consumer** *Not relevant for this Exposure Scenario.*

· **Guidance for downstream users** *No further relevant information available.*